



新益

SINCE 1956

食品罐頭機械 FOOD CANNING MACHINERY

Certified by

ISO-9001

Quality Assurance System



available

A Reliable Trademark !



新益機械工廠股份有限公司
SHIN-I MACHINERY WORKS CO., LTD.

目錄

CONTENTS

公司簡介 Company Brief Profile:	1
自動加湯機系列 Series of Liquid Filler.....	2
半自動封罐機系列 Series of Semi Auto Seamer.....	4
圓罐自動封罐機系列 Series of Auto Seamer for Round Can	5
圓罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Round Can	7
不規則罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Irregular Can...	8
不規則罐自動封罐機(假封機)系列 Series of Auto Seamer (Clincher) for Irregular Can	10
自動加湯機與封罐機組合 Combination of Liquid and Seamer	11
處理設備整廠輸出：鮪魚、沙丁魚、鳳梨、果汁 Turnkey Food Canning Line for Tuna, Sardine, Pineapple and Juice	12
其他食品加工及處理機械 Other Food Canning And Processing Machine	13



公司簡介

新益機械工廠股份有限公司創立於1956年，資本額新台幣一億六仟萬元，專業從事於製罐機械、食品罐頭機械及爪蓋生產設備之製造。供應國際市場70餘國，創業60年來，由六個員工，十八坪之廠房發展至今300位員工，五千坪之廠房，致力於本業之研究與製造，提供優良之品質與服務。依據ISO 9001認證之品質系統，從業務接單，藍圖設計，生產製造到品質檢驗，均依制度化之程序進行，配合自有之精密加工能力及設備，完全掌握零件之精度。組立與品檢工作均依嚴謹之流程控管及執行，使產品品質穩定，以符合顧客之要求。本公司積極開發新產品，並在原有產品上力求革新改良。並依實際需求，增購更精密之加工及品檢設備，以期能製造更優異之產品供應國際市場。

Company Brief Profile:

SHIN-I MACHINERY WORKS. CO., LTD., established in year 1956 and with capital USD5.00 million currently, specializes in manufacturing of tin can making, food canning machine and twist-off cap making machinery. Products have been exported to over 70 countries worldwide. SHIN-I has been making progress, from only six employees in 60 square meters small workshop at the very beginning to nowadays over 300 employees working in a 16,500 square meters modernized and well organized factory.

According to certified ISO9001 quality assurance system, from contract review, design control, manufacturing/ assembly process control to quality inspection, all procedures are under strict control and verification. With precise CNC machine tools, facilities and skilled machining capability, SHIN-I can absolutely control the quality of all parts. In addition, master the quality of machine products. SHIN-I keeps developing new products and technique aggressively and upgrading old type products so as to satisfy international customers' requirement. Besides, new machine tools and inspection device purchasing is always under evaluation.

自動加湯機系列 Series of Liquid Filler

S-C7-6

- 自動罐頭加湯機
- Automatic Liquid Filler (6H)




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 55~160 mmH

每分鐘產能
Capacity per minute Up to 60 CPM

● Liquid is filled by gravity.



S-C7-12

- 自動罐頭加湯機
- Automatic Liquid Filler (12H)




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 55~130 mmH

每分鐘產能
Capacity per minute Up to 120 CPM

● Liquid is filled by gravity.



S-C7-24 (36,45)

- 自動罐頭加湯機
- Automatic Liquid Filler (24H,36H,45H)




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 65~180 mmH


每分鐘產能
Capacity per minute Up to 250(400,500) CPM

● Liquid is filled by gravity.
● Suitable to link with seamer S-B15 or S-B45.



S-C7-60A (90)

- 自動罐頭加湯機
- Automatic Liquid Filler (60H,90H)




適用罐徑範圍
Range of can dia. 202 D~301 D

適用罐高範圍
Range of can height 60~180 mmH

每分鐘產能
Capacity per minute Up to 800(1100) CPM

● Liquid is filled by gravity.
● Suitable to link with seamer S-B49 or S-B65.



* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Deatailed catalogue on request

自動加湯機系列 Series of Liquid Filler

S-C7-40C


- 自動汽水（啤酒）加湯機
- Automatic Soft Drink Filler (40H)

適用罐徑範圍
Range of can dia. 202 D~307 D

適用罐高範圍
Range of can height 70~180 mmH

每分鐘產能
Capacity per minute Up to 500 CPM

- Special for carbonated drink and beer filling.
- Suitable to link with seamer S-B15 or S-B45.



S-C7-12P (18P)


- 自動罐頭活塞式加湯機
- Automatic Piston Filler (12H,18H)

適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 40~127 mmH

每分鐘產能
Capacity per minute Up to 300(450) CPM

- Recommend to fill liquid with high viscosity.
- Suitable to link with seamer S-B15 or S-B45.



S-C7-18V



- 自動罐頭真空加湯機
- Automatic Vacuum Filler (18H)

適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 50~160 mmH

每分鐘產能
Capacity per minute Up to 200 CPM

- To evacuate air and fill liquid.
- Recommend for pineapple can syrup filling.
- Suitable to link with seamer S-B15.



* For food canning, all parts contact with can/lid are made of stainless steel or bronze.
* 詳細型錄備索 Deatailed catalogue on request


半自動封罐機系列 Series of Semi Auto Seamer

S-A23L

- 手動封罐機
- Manual Semi-Automatic Double Seamer

適用罐徑範圍 Range of can dia.	200 D~714 D
適用罐高範圍 Range of can height	40~280 mmH
每分鐘產能 Capacity per minute	Up to 5 CPM

- Recommend to be operated in laboratory.
- Lifter plate lifting up and 1st./2nd. seaming roller approaching are operated by hands.



For Laboratory!




S-A20

- 半自動封罐機
- Semi-Automatic Double Seamer

適用罐徑範圍 Range of can dia.	202 D~904 D
適用罐高範圍 Range of can height	30~250 mmH
每分鐘產能 Capacity per minute	Up to 15 CPM

- Also suitable for motor filter or electric capacitor closing.




S-D17A

- 半自動不規則罐封罐機
- Semi-Automatic Irregular Can Double Seamer

適用罐身尺寸 Range of can dimension	90~135 mm in Diagonal
適用罐高範圍 Range of can height	60~350 mmH
每分鐘產能 Capacity per minute	Up to 15 CPM

- One of the four seaming rollers can function as a curling roller.
- Can be modified for big round can closing.



* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Detailed catalogue on request

圓罐自動封罐機系列 Series of Auto Seamer for Round Can

S-C3A (L)

- 自動6M封罐機
- Automatic Sanitary Seamer




適用罐徑範圍
Range of can dia. 202 D~404 D (401 D~603 D)

適用罐高範圍
Range of can height 38~160 mmH (110~230 mmH)

每分鐘產能
Capacity per minute Up to 60(40) CPM

● Not suitable for two pcs can.



S-C33B (L)

- 4H 自動封罐機
- Automatic 4H Double Seamer




適用罐徑範圍
Range of can dia. 202 D~404 D (401 D~700 D)

適用罐高範圍
Range of can height 36~160 mmH (75~185 mmH)


每分鐘產能
Capacity per minute Up to 200(120) CPM

● Can stand still during seaming.



S-B59



- 4H 自動封罐機
- Automatic 4H Double Seamer



適用罐徑範圍
Range of can dia. 401 D~800 D

適用罐高範圍
Range of can height 100~280 mmH

每分鐘產能
Capacity per minute Up to 200 CPM



S-B59SA


- 4H 自動封罐機
- Automatic 4H Double Seamer



適用罐徑範圍
Range of can dia. 202 D ~ 404 D

適用罐高範圍
Range of can height 38~240 mmH

每分鐘產能
Capacity per minute Up to 250 CPM




* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Deatailed catalogue on request

圓罐自動封罐機系列 Series of Auto Seamer for Round Can

S-B49

- 8H 自動封罐機
- Automatic 8H Double Seamer




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 42~180 mmH

每分鐘產能
Capacity per minute Up to 720 CPM

● With under cover gassing, range of can height is 50~180 mmH.



S-B45

- 6H 自動封罐機
- Automatic 6H Double Seamer




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 48~180 mmH

每分鐘產能
Capacity per minute Up to 500 CPM

● With under cover gassing, range of can height is 50~180 mmH.



S-B65



- 12H 自動封罐機
- Automatic 12H Double Seamer



適用罐徑範圍
Range of can dia. 200 D~301 D

適用罐高範圍
Range of can height 38~200 mmH

每分鐘產能
Capacity per minute Up to 800 CPM




* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Deatailed catalogue on request

圓罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Round Can

S-C2

- 自動真空封罐機
- Automatic Vacuum Seamer




適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 50~125 mmH

每分鐘產能
Capacity per minute Up to 45 CPM

- Lower can down to 34 mmH is also acceptable on request.
- 5HP vacuum pump required.



S-C18

- 自動真空封罐機
- Automatic Vacuum Seamer




適用罐徑範圍
Range of can dia. 401 D~603 D

適用罐高範圍
Range of can height 100~230 mmH

每分鐘產能
Capacity per minute Up to 30 CPM

- Lower can down to 75 mm H is also acceptable on request.
- 5HP vacuum pump required.



S-C4+S-C1



- 自動假封真空封罐機
- Automatic Vacuum Seamer With Clincher(4H)

適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 38~130 mmH

每分鐘產能
Capacity per minute Up to 75 CPM

- Clinching functions by a roller and an arc rail.
- Clincher is to push food down and to clip can and end together.
- 7.5HP vacuum pump required.



* For food canning, all parts contact with can/lid are made of stainless steel or bronze.
* 詳細型錄備索 Deatailed catalogue on request

圓罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Round Can

S-C4A+S-C9




- 自動假封真空封罐機
- Automatic Vacuum Seamer (3H)
With Clincher (6H)

適用罐徑範圍
Range of can dia. 202 D~401 D

適用罐高範圍
Range of can height 46~130 mmH

每分鐘產能
Capacity per minute Up to 250 CPM


- Lower can down to 40 mmH is also acceptable on request.
- Clincher is to push food down and to clip can and end together.
- Clinching functions by a roller and an arc rail.
- 15HP vacuum pump required.



不規則罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Irregular Can

S-C25A

- 自動不規則罐真空封罐機
- Automatic Irregular Can Vacuum Seamer




適用罐身尺寸
Range of Can Dimension 45~100 mm length, width max. Diagonal 130 mm
For oval can 160 mm

適用罐高範圍
Range of can height 18~100 mmH

每分鐘產能
Capacity per minute Up to 60 CPM

- 7.5HP vacuum pump required.



S-C34A

- 自動不規則罐真空封罐機
- Automatic Irregular Can Vacuum Seamer




適用罐身尺寸
Range of Can Dimension 45~170 mm length, width max. Diagonal 175 mm

適用罐高範圍
Range of can height 18~100 mmH

每分鐘產能
Capacity per minute Up to 40 CPM

- 5HP vacuum pump required.




* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Deatailed catalogue on request

不規則罐自動真空封罐機系列 Series of Auto Vacuum Seamer for Irregular Can


S-C85

- 自動不規則罐假封真空封罐機
- Automatic Irregular Can Vacuum Seamer With Clincher (6H)




適用罐身尺寸 Range of Can Dimension	45~100 mm length, width max. Diagonal 130 mm For oval can 160 mm
適用罐高範圍 Range of can height	18~100 mmH
每分鐘產能 Capacity per minute	Up to 80 CPM

- With eight pockets on vacuum turret.
- Clincher is to push food down and to clip can and end together.
- Clinching functions by two rollers.
- 10HP vacuum pump required.




S-C86

- 自動不規則罐假封真空封罐機
- Automatic Irregular Can Vacuum Seamer With Clincher (6H)



適用罐身尺寸 Range of Can Dimension	45~170 mm length, width max. Diagonal 175 mm
適用罐高範圍 Range of can height	22~100 mmH
每分鐘產能 Capacity per minute	Up to 60 CPM

- With six pockets on vacuum turret.
- Clincher is to push food down and to clip can and end together.
- Clinching functions by two rollers.
- 7.5HP vacuum pump required.



* For food canning, all parts contact with can/lid are made of stainless steel or bronze.
* 詳細型錄備索 Deatailed catalogue on request

不規則罐自動封罐機（假封機）系列 Series of Auto Seamer (Clincher) for Irregular Can

S-C88

- 自動不規則罐封罐機
- Automatic Irregular Can Double Seamer




適用罐身尺寸
Range of Can Dimension 45~163 mm length, width max. Diagonal 160 mm

適用罐高範圍
Range of can height 18~100 mmH

每分鐘產能
Capacity per minute Up to 50 CPM

- Overfilled can closing is not recommended.



S-C87

- 自動不規則罐假封罐機
- Automatic Irregular Can Clincher (6H)




適用罐身尺寸
Range of Can Dimension 45~100 mm length, width max. Diagonal 130 mm

適用罐高範圍
Range of can height 18~100 mmH

每分鐘產能
Capacity per minute Up to 80 CPM

- Clincher is to push food down and to clip can and end together.
- Clinching functions by two rollers.



S-M446

- 自動不規則罐假封封罐機
- Automatic Irregular Can Seamer With Clincher (6H)




適用罐身尺寸
Range of Can Dimension 45~100 mm length, width max. Diagonal 160 mm

適用罐高範圍
Range of can height 18~275 mmH

每分鐘產能
Capacity per minute Up to 100 CPM

- Clincher is to push food down and to clip can and end together.
- Clinching functions by two rollers.



S-V465

- 自動不規則罐假封封罐機
- Automatic Irregular Can Seamer (5H) With Clincher (6H)




適用罐身尺寸
Range of Can Dimension 45~100 mm length, width max. Diagonal 160 mm

適用罐高範圍
Range of can height 24~150 mmH

每分鐘產能
Capacity per minute Up to 250 CPM

- Clincher is to push food down and to clip can and end together.
- Clinching functions by two rollers.




* For food canning, all parts contact with can/lid are made of stainless steel or bronze.

* 詳細型錄備索 Deatailed catalogue on request

自動加湯機與封罐機組合 Combination of Liquid and Seamer

S-C7-36+S-B45




- 自動罐頭加湯機及6H自動封罐機
- Automatic Liquid Filler (36H) And Automatic 6H Double Seamer




S-C7-60A+S-B65

- 自動罐頭加湯機及12H自動封罐機
- Automatic Liquid Filler (60H) And Automatic 12H Double Seamer



S-C7-18P+S-B15

- 自動罐頭活塞式加湯機及6H自動封罐機
- Automatic Piston Filler (18H) And Automatic 6H Double Seamer




* For food canning, all parts contact with can/lid are made of stainless steel or bronze.
* 詳細型錄備索 Detailed catalogue on request

處理設備整廠輸出：鮪魚、沙丁魚、鳳梨、果汁 Turnkey Food Canning Line for Tuna, Sardine, Pineapple and Juice




· PINEAPPLE PEELING MACHINE



· PINEAPPLE SCREW PRESS



· RETORT



· SARDINE NOBBING MACHINE

* To be provided by Thai SHIN-I Industry Bangkok Thailand

其他食品加工及處理機械 Other Food Canning And Processing Machine

- **C-8** 蒸汽式二重釜
Steam Jacketed Kettle
- **C-10B** 橫式殺菌釜 (4" × 6") 旋緊式
Horizontal Retort
- **C-11** 低溫殺菌冷卻機
Automatic Low Temperature Sterilizer
- **C-19** 自動空罐(罐頭)洗清機
Automatic Magnetic Can Washer
- **C-15** 自動罐頭吹乾機
Automatic Can Dryer
- **C-20** 工作調理輸送機
Working Table(Conveyor Machine)
- **C-21** 連續殺菌冷卻機
Continuous Cooker & Cooler
- **C-26** 自動鏈網脫氣機
Automatic Chain Type Exhaust Box
- **C-14A** 自動洋菇切片機
Automatic Mushroom Slicing Machine
- **C-24A** 自動洋菇分級機
Automatic Mushroom Grading Machine
- **C-31** 洋菇高壓噴洗機
Automatic Pressure Sprayer
for Mushroom
- **C-35** 自動洋菇殺青機
Automatic Mushroom Blanching Machine
- **C-36** 洋菇冷卻洗蟲機
Automatic Cooling Machine
for Mushroom
- **C-62** 洋菇洗蟲機
Automatic Mushroom Insect Washer
- **C-40** 蘆筍殺青冷卻機
Automatic Asparagus Blanching Machine
- **C-41** 自動蘆筍噴洗機
Automatic Pressure Sprayer
for Asparagus
- **C-42** 自動蘆筍洗滌機
Automatic Washing Machine
for Asparagus
- **C-13** 鳳梨去蕊除皮機
Semi-Automatic Corer & Sizer
for Pineapple
- **C-22** 自動鳳梨切片機
Automatic Pineapple Slicing Machine
- **C-23** 自動鳳梨分級機
Automatic Pineapple Grading Machine
- **C-28** 自動鳳梨碎肉機
Automatic Pineapple Crusher
- **C-30** 自動鳳梨碎皮機
Automatic Peel Crusher for Pineapple
- **C-39A** 手動鳳梨切角機
Manual Piece Machine for Pineapple
- **C-71** 自動鳳梨除皮機
Automatic Pineapple Peeler
- **C-72A** 自動鳳梨切片機
Automatic Slicing Machine for Pineapple
- **C-73** 自動鳳梨片裝罐機
Pineapple Corer And Loader
- **C-74** 自動鳳梨片整片機
Pineapple Slices Resizer
- **C-54** 鮪魚裝罐機
Tuna Pressing Machine
- **C-56** 自動鮪魚切塊機
Automatic Tuna Fish Cutter
- **C-58** 自動鮪魚裝罐機
Automatic Tuna Fish Packer

* 其他相關食品罐頭機械及處理機械皆可依客戶訂購承製

Other relative food canning machines and food processing machine are also available as your request.



Shin-I

新益



Food in Cans!

主要產品

- 馬口鐵罐空罐製罐設備整廠輸出（用以生產飲料罐、食品罐、高壓噴霧罐、二片引伸罐、油漆罐、一加侖油罐、奶粉罐及其他空罐）
- 食品罐頭機械（真空封罐機、加湯機... ..等）
- 爪蓋製造全線設備
- 高壓噴霧罐上下蓋製造全線設備
- 詳細資料請參觀我們的網頁

Main Business:

- Complete line tin can making machinery for food, beverage, aerosol, DRD, paint, milk powder and other cans.
- Food canning machinery including vacuum seamer, liquid filler...etc.
- Twist-off cap (lug cap) production line.
- Aerosol cone/dome forming and lining machine.
- Punch dies and other toolings for can industry.
- Please visit our web site for more information.

*其他相關製罐及罐頭機械皆可依客戶訂購承製

*Other relative can making and canning machines are also available as your request.

新益機械工廠股份有限公司

SHIN-I MACHINERY WORKS CO., LTD.

台灣省台中市清水區清水里中正街43號

NO.43 CHUNG-CHENG STREET, CHING SHUI, TAICHUNG, TAIWAN.

TEL: 886-4-26238181 FAX: 886-4-26232129

[http:// www.shinican.com](http://www.shinican.com)

E-mail: contact@shinican.com.tw

經銷商：
AGENT：