

S-B56自動立式五縮頸及反邊綜合機

AUTOMATIC QUINTUPLE NECKER AND SPIN FLANGER

Certified by

ISO-9001

Quality Assurance System

S-B56



新益機械工廠股份有限公司
SHIN I MACHINERY WORKS CO., LTD.

S-B56自動立式五縮頸及反邊綜合機

AUTOMATIC QUINTUPLE NECKER AND SPIN FLANGER




The S-B56 is a fully Automatic Quintuple Necking Machine with Spin Flanger for 3-piece can. Can body Dia. 211D can be reduced to 202D. Its vertical design make S-B56 can connect with S-B49(8H) or S-B65(12H) Automatic Double Seamer directly for canmaking line. Equipped with centralized lubricating system and easy for can size changeover. S-B56 is the most stringent requirement in the current canmaking market.

S-B56 自動立式五縮頸及反邊機，係全自動五段縮頸及旋轉滾輪反邊綜合機，能將罐胴 211D 縮頸至 202D。S-B56 採用直立式設計，使成品與自動封罐機 S-B49 或 S-B65 可以直接連線作業。採用浸油循環式自動潤滑系統保養維修容易，使 S-B56 成為當今最新穎的綜合機。




特 性：

- 大量降低鐵皮及罐蓋成本，增加產品競爭能力。
- 直立式入出罐，可直接與封罐機連接作業。
- 裝置可循環式集中潤滑系統，保養方便。
- 使用變頻器作無段變速控制。
- 與罐身接觸面均硬鉻處理或使用乙稀龍，防止擦傷。
- 全機自動控制系統能配合客戶全線自動化需要。
- 安全設計完善，確保機台及人員安全。



Features:

- Cost saving by using thinner metal and reduced ends.
- Vertical design easy to connect with auto double seamer.
- Recycleable central control lubricating system.
- INVERTER used for variable speed control.
- Can guide and Turrets with hard chromium plating or Nylon material.
- Full Automatic Control system for canmaking Line requirement.
- Multi-safety design for machine and personnel safety.




五段縮頸反邊

The Process of Quintuple Necking, Spin Flanging

S-B56自動立式五縮頸及反邊綜合機

AUTOMATIC QUINTUPLE NECKER AND SPIN FLANGER



規格：(Specifications):

機 型	M/C TYPE.	8H	12H
適 用 罐 徑	Range of Can Dia.	202~301D	←
適 用 罐 高	Range of Can Height	75~180MM	←
每 分 鐘 產 能	Capacity per min. 註1	UP TO 720CPM	UP TO 1000CPM
安裝面積及高度	Floor Space Overall Heigh	4650×2200×1950 MM	←
淨 重	Net Weight (abt.)	12600KGS. (Abt)	13500KGS. (Abt)
需 要 馬 力	Horse Power Required	20 HP	←
需 要 空 壓	Compressor Air Required	50L/min. (3bar)	←
作 用 模 數	Toolings	8H	12H

註1：依罐型而有不同。

註2：211D可縮頸至202D。

※ 規格如有變更，恕不另通知 Subject to change without notice.

Web address: <http://shinican.com.tw>

E-mail: shinican@ms15.hinet.net

新益機械工廠股份有限公司

台灣省台中縣清水鎮光華路2號

SHIN I MACHINERY WORKS CO., LTD.

NO.2 KUANG HWA ROAD CHING-SHUI TAICHUNG,

TAIWAN, R. O. C.

TEL: (04) 822-1166

TELEX: 51240 SHINI

TEL:886-(04)-2623-8181

FAX:886-(04)-2623-2129

經銷商：

AGENT: